

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	(@ad<"20040112") and (finfet or (fin adj fet)) and ((stained or strain) same (trench or aperture or cavity or groove))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:10
L2	28	(@ad<"20040112") and (finfet or (fin adj fet)) and ((strained or strain) same (trench or aperture or cavity or groove))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:18
L3	42	(@ad<"20040112") and ((strained or strain) with (polysilicon or gate)) and (trench or aperture or cavity or groove) and (finfet or fin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:47
L4	17	L3 not L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:37
L5	17	(@ad<"20040112") and (finfet or (fin adj fet)) and (sige same (trench or aperture or cavity or groove))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:44
L6	2	L5 not L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:44
L7	1216	(@ad<"20040112") and (fin or finfet or (fin adj fet)) and "438"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:47
L8	628	L7 and (trench or aperture or cavity or groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:49

L9	22	L8 and strain	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:49
L10	58	L8 and (strained or strain or "silcon germanium" or sige)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:50
L11	99	L8 and (strained or strain or "silicon germanium" or sige)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:51
L12	84	L11 not L2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:51
L13	26	L8 and (strained or strain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 12:51
L14	5	("20040036126" "6525403" "6610576" "6657252" "6727546").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/29 13:03
L15	2	("6855583").URPN.	USPAT	OR	OFF	2005/11/29 13:04
L16	23	(@ad<"20040112") and 438/157, 176,195,275,279,283.ccls. and (stained or strain) and (trench or aperture or cavity or groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:25
L17	7	(@ad<"20040112") and (finfet or (fin adj fet)) and ((stress) same (trench or aperture or cavity or groove))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:21
L18	284	(@ad<"20040112") and ((sige or (silicon adj germanium)) same (trench or aperture or cavity or groove)) and stress	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:20

L19	147	L18 and "438"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:21
L20	6	L19 and (finfet or (fin adj fet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:22
L21	19	(@ad<"20040112") and 438/752. ccls. and (stress or stained or strain) and (trench or aperture or cavity or groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:28
L22	0	(@ad<"20040112") and 438/for. 291.ccls. and (stress or stained or strain) and (trench or aperture or cavity or groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:28
L23	2	(@ad<"20040112") and 438/for. 292.ccls. and (stress or stained or strain) and (trench or aperture or cavity or groove)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/29 13:28